

# OPTICHEM

## Additives for Solvent-Borne & Solvent-Free Systems Product Overview



## Additives for Solvent-Borne & Solvent-Free Systems / Selection Guide

OPTICHEM	Composition / Purpose	Main Solvent	Active Content (~ %)	UV Curable	2K Epoxy	2K PU	UPR	Vinyl & Acrylic	Acid Cure Systems	Air Drying Alkyds	NC Coatings	Stove Enamels	Solvent Free
OPTIFOAM P 0820	solution of defoaming substances / defoamer	Shellisol D 25	20		•	•	•••		•••		•••		•
OPTIFOAM S 0822	solution of defoaming substances, containing silicone / defoamer	Xylene / MPA / EAC / BAC	8		•	•••				•		•••	
OPTIFOAM P 0520	solution of defoaming substances / defoamer	Alkylbenzene / Shellisol D 25	38	•	•••	••	•••	••					•
OPTIFOAM S 0522	solution of defoaming substances, containing silicone / defoamer	MPA / Alkylbenzene	70		•	•							•••
OPTILEVEL S 1830	organically modified polysiloxane / slip & levelling agent	iso-Butanol	51	•	•	•						••	
OPTILEVEL S 1831	organically modified polysiloxane / slip & levelling agent	Alkylbenzene	51	•••		•••	•					••	
OPTILEVEL S 1833	organically modified polysiloxane / slip & levelling agent	BAC	15	•		•						••	•
OPTILEVEL S 1835	organically modified polysiloxane / slip & levelling agent	MP	51	•••		•	•••					••	
OPTILEVEL S 1036	organically modified polysiloxane, solvent-free / slip & levelling agent		> 97	•	•	•			•	•		•	•••
OPTILEVEL S 1039	organically modified polysiloxane, solvent-free / slip & levelling agent		> 97	•		•			•			•	••
OPTILEVEL S 1088	organically modified polysiloxane, solvent-free / slip & levelling agent		> 97	•	•	••						••	•
OPTILEVEL S 1099	organically modified polysiloxane, solvent-free / slip & levelling agent		> 97	•••		•						••	•
OPTILEVEL F 1577	fluorocarbon modified polymer / flowing & levelling agent	Xylene	70		••	••		•		••	•	•••	•
OPTIPERSE U 2809	modified polyurethane / HMW dispersing agent	BAC / MPA / iso-Butanol	60	•	•	•				•		•	
OPTIPERSE U 2846	modified polyurethane / HMW dispersing agent	BAC / MPA / iso-Butanol	40	•	•	••				•		•	
OPTIPERSE U 2847	modified polyurethane / HMW dispersing agent	BAC / MPA / iso-Butanol	35	•	•	••	•	•		•		••	•
OPTIPERSE A 2200	modified polyacrylate / HMW dispersing agent	BAC / iso-Butanol	40	•	•	••				•		•••	
OPTIPERSE A 2201	modified polyacrylate / HMW dispersing agent	BAC / iso-Butanol	50		•	••				•	•	•••	
OPTIPERSE O 3810	polyester polyamide / LMW dispersing agent	Xylene / iso-Butanol	50		•	••			•	•		••	•
OPTIPERSE O 3844	unsaturated polyamide and acid ester salts / LMW dispersing agent	Xylene / n-Butanol / MPG	52		••	••				•		•	•
OPTIPERSE O 3854	carboxylic salts / LMW dispersing agent	Alkylbenzene	52		••	•				•		•	
OPTIPERSE O 3855	carboxylic salts of polyamine amides / LMW dispersing agent	MP / Alkylbenzene	52		•					••		•	
OPTIPERSE OS 3865	unsaturated carboxylic acid, containing silicone / LMW dispersing agent	Alkylbenzene / DIBK	52			•••		•			•	•••	•
OPTIPERSE O 3866	unsaturated carboxylic acid / LMW dispersing agent	Alkylbenzene / DIBK	52			••					•	••	

- Suitable
- Recommended
- Highly Recommended